FIRST INFORMATION DISCLOSURE STATEMENT BY APPLICANT

of

Substitute for form 1449A/PTO & 1449B/PTO

Complete if Known					
Application Number	10/516,982				
Filing Date	June 21, 2005				
First Named Inventor	James T. Kadonaga et al.				
Examiner Name	Teresa Strzelecka				
Attorney Docket Number	1034123-000150				

(, JUL 1	0 5000 B	U.S. P.	ATENT DOCUMENTS	
Exampler Initial Party		Kind Code (if known)	Name of Patentee or Applicant of Cited Document	Issue/Publication Date (MM-DD-YYYY)
/TS/	4,873,191			
1	4,970,154			
	5,098,843			
	5,128,257			
	5,273,881			
	5,279,833			
	5,460,831			
	5,525,503			
	5,545,130			
	5,547,932			
	5,763,240			
	5,929,043			
	5,948,653			
	5,989,879			
W	6,074,853			
V	09/654,108			
/TS/				

		FC	DREIGN PATENT DO	CUMENTS							
			STATUS								
Examiner Initials	Document Number	Kind Code (if known)	Country	Date of Publication (MM-DD-YYYY)	Translation	Partial Translation	Eng. Lang. Summary	Search Report	IPER	Abstract	Cited in Spec
/TS/	WO 91/06309										
ŀ	WO 93/24640					-					
	WO 99/37755										
	WO 99/60108										
V	WO 00/56872									$\overline{}$	
/TS/	WO 00/63365										

	NON-PATENT LITERATURE DOCUMENTS						
Examiner Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.						
/TS/	Almer et al. (1986). "Removal of positioned nucleosomes from the yeast <i>PHO5</i> promoter upon <i>PHO5</i> induction releases additional upstream activating DNA elements," <i>EMBO J.</i> 5:2689-2696.						
/TS/	Baumann et al. (1996). "Human Rad51 protein promotes ATP-dependent homologous pairing and strand transfer reactions in vitro," <i>Cell</i> 87:757.						
/TS/	Baumann et al. (1999). "Heteroduplex formation by human Rad51 protein:effects of DNA end- structure, hRP-A and hRad52," <i>J. Mol. Biol.</i> 291:363-374.						
/TS/	Benson et al. (1998). "Synergistic actions of Rad51 and Rad52 in recombination and DNA repair," <i>Nature</i> 391:401-404.						

Examiner	/Teresa Strzelecka/	Date	09/27/2007	
Signature	1 101000 Ott Zolooka	Considered		- 1

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

CA 103928.1

bstitute for form 1449A/PTO & 1449B/PTO				Complete if Known		
	FIRST			Application Number	10/516,982	
INFORMATION DISCLOSURE		Filing Date	June 21, 2005			
STAT	EMENT	BY	APPLICANT	First Named Inventor	James T. Kadonaga et al.	
	(use as many	sheets as	necessary)	Examiner Name	Teresa Strzelecka	
Sheet	2	of	5	Attorney Docket Number	1034123-000150	

	NON-PATENT LITERATURE DOCUMENTS
Examiner Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
/TS/	Berinstein et al. (1992). "Gene replacement with one-sided homologous recombination," <i>Molec. Cell. Biol.</i> 12:360-367.
	Boyer et al. (2000). "Functional delineation of three groups of the ATP-dependent family of chromatin remodeling enzymes," <i>J. Biol. Chem.</i> 275:18864-18870.
	Budker et al. (1996). "PH-sensitive, cationic liposomes: a new synthetic virus-like vector," <i>Nature Biotechnology</i> 14:760-764.
	Bulger and Kadonaga (1994). "Biochemical reconstitution of chromatin with physiological nucleosome spacing," <i>Methods. Mol. Genet.</i> 5:241-262.
	Clark et al. (1991). "Isolation, DNA sequence, and regulation of a Saccharomyces cerevisiae gene that encodes DNA strand transfer protein alpha," Molec. Cell. Biol. 11:2576-2582.
	Cole-Strauss et al. (1996). "Correction of the mutation responsible for sickle cell anemia by an RNA-DNA oligonucleotide," <i>Science</i> 273:1386-1389.
	Cox and Lehman (1987). "Enzymes of general recombination," <i>Ann. Rev. Biochem.</i> 56:229-262. Cromie et al. (2001). "Recombination at double-strand breaks and DNA ends:conserved mechanisms from phage to humans," <i>Mol. Cell</i> 8:1163-1174.
	Doetschman et al. (1985). "The in vitro development of blatocyst-derived embryonic stem cell lines: formation of visceral yolk sac, blood islands and myocardium," <i>J. Embryol. Exp. Morph.</i> 87: 21-45.
	Dunderdale et al. (1991). "Formation and resolution of recombination intermediates by E. coli RecA and RuvC proteins," <i>Nature</i> 354:506.
	Dykstra et al. (1991). "Cloning and characterization of DST2, the gene for DNA strand transfer protein β from Saccharomyces cerevisiae," Molec. Cell. Biol. 11:2583-2592.
	Eisen, J.A. et al. (1995). "Evolution of the SNF2 family of proteins: subfamilies with distinct sequences and functions," <i>Nucleic Acids Res.</i> 23:2715-2723.
	Felgner et al. (1987). "Lipofection: a highly efficient, lipid-mediated DNA-transfection procedure," <i>Proc. Natl. Acad. Sci.</i> USA 84:7413-7417.
	Flaus, A. et al. (2001). "Mechanisms for ATP-dependent chromatin remodeling," <i>Curr. Opin. Genet. Dev.</i> 11:148-154.
	Fry, C. et al. (2001). "Chromatin remodeling enzymes: who's on first?" <i>Current Biology</i> 11:R185-R197.
	Fyodorov and Kadonaga (2001). "The many faces of chromatin remodeling: SWItching beyond transcription," <i>Cell</i> 106:523-525.
	Fyodorov et al. (2002). "Chromatin assembly using <i>Drosophila</i> systems," <i>Current Protocols in Molecular Biology</i> 21.7.1-21.7.27.
	Game, J.C. (1983). "Radiation-sensitive mutants and repair in yeast" In <u>Yeast</u> <u>genetics:fundamental and applied aspects</u> . J.F.T. Spencer, D. Spencer and A.R.W. Smith eds., pp. 105-137.
	Germond et al. (1975). "Folding of the DNA double helix in chromatin-like structures from simian virus 40," <i>Proc. Natl. Acad. Sci.</i> USA 72:1843-1857.
Ψ	Ghabrial, A. et al. (1998). "Okra and spindle-B encode components of the RAD52 DNA repair pathway and affect meiosis and patterning in <i>Drosophila</i> oogenesis," Genes Dev. 12:2711-2723.
/TS/	Giaever, G.N. et al. (1988). "Supercoiling of intracellular DNA can occur in eukaryotic cells," <i>Cell</i> 55:849-856.

Examiner	/Toroca Strzelecka/	Date	00/07/0007	
	/ I eresa Strzelecka/		09/27/2007	
Signature	, , , , , , , , , , , , , , , , , , , ,	Considered	00/2//2001	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

CA 103928.1

bstitute for form 1449A/PTO & 1449B/PTO				Complete if Known		
	I	FIRST	•	Application Number	10/516,982	
INFORMATION DISCLOSURE		Filing Date	June 21, 2005			
STAT	EMEN	T BY	APPLICANT	First Named Inventor	James T. Kadonaga et al.	
	(use as mai	ny sheets as	necessary)	Examiner Name	Teresa Strzelecka	
Sheet	3	of	5	Attorney Docket Number	1034123-000150	

	NON-PATENT LITERATURE DOCUMENTS					
Examiner Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.					
/TS/	Gorbalenya, A. et al. (1993). "Helicases:amino acid sequence comparisons and structure-function relationships," Curr. Opin. Structural Biol. 3:419-429.					
	Gupta et al. (1997). "Activities of human recombination protein Rad51," <i>Proc. Natl. Acad. Sci.</i> USA 94:463-468.					
	Hasty et al. (1991). "The length of homology required for gene targeting in embryonic stem cells," <i>Molec. Cell. Biol.</i> 11:5586-5591.					
	Ho et al. (1995). "Stem cells as vehicles for gene therapy: novel strategy for HIV infection," Stem Cells 13 (suppl. 3):100-105.					
	Hooper et al. (1987). "HPRT-deficient (Lesch-Nyhan) mouse embryos derived from germline colonization by cultured cells," <i>Nature</i> 326: 292-295.					
	Inaba et al. (1992). "Generation of large numbers of dendritic cells from mouse bone marrow cultures supplemented with Granulocyte/Macrophage colony-stimulating factor," <i>J. Exp. Med.</i> 176:1693-1702.					
	Ito et al. (1999). "ACF consists of two subunits, Acf1 and ISWI, that function co-operatively in the ATP-dependent catalysis of chromatin assembly," <i>Genes Dev.</i> 13:1529-1539.					
	Jeong et al. (1991). "Chromatin assembly on plasmid DNA in vitro, apparent spreading of nucleosome alignment from one region of pBR327 by histone H5," <i>J. Mol. Biol.</i> 222:1131-1147.					
	Kanaar, R. et al. (1998). "Molecular mechanisms of DNA double strand break repair" <i>Trends Cell Biol.</i> 8:483-489.					
	Kingston, R.E. et al. (1999). "ATP-dependent remodeling and acetylation as regulators of chromatin fluidity," <i>Genes Dev.</i> 13:2339-2352.					
	Kolodner et al. (1987). "Purification and characterization of an activity from Saccharomyces cerevisiae that catalyzes homologous pairing and strand exchange," Proc. Natl. Acad. Sci. (U.S.A.) 84:5560-5564.					
	Kooistra et al. (1999). "The <i>Drosophila melanogaster DmRAD54</i> gene plays a crucial role in double-strand break repair after P-element excision and acts synergistically with <i>KU70</i> in the repair of X-ray damage," <i>Mol. Cell. Biol.</i> 19:6269-6275.					
	Kooistra et al. (1997). "The <i>Drosophila melanogaster RAD54</i> homolog, <i>DmRAD54</i> , is involved in the repair of radiation damage and recombination," <i>Mol. Cell. Biol.</i> 17:6097-6104.					
	Kornberg, R.D. et al. (1999). "Chromatin-modifying and –remodeling complexes," <i>Curr. Opin. Genet. Dev.</i> 9:148-151.					
	Kotani, H. et al. (1994). "DNA cruciforms facilitate in vitro strand transfer on nucleosomal templates," <i>Mol. Gen. Genet.</i> 243:681-690.					
	Kowalczykowski, S. et al. (1994). "Biochemistry of homologous recombination in E. coli," Microbiol. Rev. 58:401-465.					
	Maguire et al. (1994). "Gem: An induced, immediate early protein belonging to the Ras Family," Science 265:241-244.					
	Mannino et al. (1998). "Liposome mediated gene transfer," <i>BioTechniques</i> 6:682-690.					
	Masson, J. et al. (2001). "The Rad51 and Dmc1 recombinases: a non-identical twin relationship," Trends Biochem. Sci. 26:131-136.					
V	Mazin et al., (2000). "Rad54 protein is targeted to pairing loci by the Rad51 nucleoprotein filament," <i>Mol. Cell</i> 6:583-592.					
/TS/	Mazin et al. (2000). "Tailed duplex DNA is the preferred substrate for Rad51 protein-mediated homologous pairing," <i>EMBO J.</i> 19:1148-1156.					

Examiner Signature | Teresa Strzelecka/ Date Considered | 09/27/2007

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

CA 103928.1

Substitute for form 1449A/PTO & 1449B/PTO Complete if Known **Application Number** 10/516,982 **FIRST** INFORMATION DISCLOSURE Filing Date June 21, 2005 James T. Kadonaga et al. Teresa Strzelecka STATEMENT BY APPLICANT First Named Inventor **Examiner Name** (use as many sheets as necessary) Sheet 5 **Attorney Docket Number** 1034123-000150 4 of

	NON-PATENT LITERATURE DOCUMENTS					
Examiner Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.					
/TS/	McMahon and Bradley (1990). "The Wnt-1 (int-1) proto-oncogene is required for development of a large region of the mouse brain," <i>Cell</i> 62: 1073-1085.					
	Moore et al. (1991). "The human homologous pairing protein HPP-1 is specifically stimulated by					
<u> </u>	the cognate single-stranded binding protein hRP-A," Proc. Natl. Acad. Sci. (U.S.A.) 88:9067-9071.					
	New, J.H. et al. (1998). "Rad52 protein stimulates DNA strand exchange by Rad51 and replication protein A," <i>Nature</i> 391:407-410.					
	Paques, F. et al. (1999). "Multiple pathways of recombination induced by double-strand breaks in S. cerevisiae," <i>Microbiol. Mol. Biol. Rev.</i> 63:349-404.					
	Pazin et al. (1997). "Nucleosome mobility and the maintenance of nucleosome positioning," Science 276:809-812.					
	Petrini et al. (1997). "The RAD52 epistasis group in mammalian double strand break repair" Semin. Immunol. 9:181-188.					
	Petukhova, G. et al. (1998). "Catalysis of homologous DNA pairing by yeast Rad51 and Rad54 proteins," <i>Nature</i> 393:91-94.					
	Petukhova, G. et al. (1999). "Yeast Rad54 promotes Rad51-dependent homologous DNA pairing					
	via ATP hydrolysis-driven change in DNA double helix conformation," <i>J. Biol. Chem.</i> 274:29453-29462.					
\times	Ramds, J. et al. (1991). "Nucleosomes on linear duplex DNA allow homologous pairing but preven					
	strand exchange promoted by RecA protein," PNAS USA, vol. 88, pp.1344-1348.					
	Robertson et al. (1986). "Germ-line transmission of genes introduced into cultured pluripotential					
	cells by retroviral vector," Nature 323: 445-448.					
- 1	Robertson, E. J. (1987) In <u>Teratocarcinomas and Embryonic Stem Cells: A Practical Approach</u> . E.					
	J. Robertson, ed., Oxford: IRL Press, Ch 4, p. 71-112.					
	Roca, A. I. et al. (1990). "The RecA protein: structure and function," <i>Crit. Rev Biochem. Molec. Biol.</i> 25:415-456.					
	Shen et al. (2000). "A chromatin remodeling complex involved in transcription and DNA processing," <i>Nature</i> 406:541-544.					
	Shinohara, A. et al. (1998). "Stimulation by Rad52 of yeast Rad51-mediated recombination," Nature 391:404-407.					
	Shulman et al. (1990). "Homologous recombination in hybridoma cells: dependence on time and					
	fragment length," Molec. Cell. Biol. 10:4466-4472.					
	Simpson, R.T. et al. (1985). "Chromatin reconstituted from tandemly repeated cloned DNA					
	fragments and core histones: a model system for study of higher order structure," <i>Cell</i> 42:799-808. Sinden, R. et al. (1980). "Torsional tension in the DNA double helix measured with					
1	trimethylpsoralen in living <i>E. coli</i> cells: analogous measurements in insects and human cells," <i>Cell</i>					
	21:773-783.					
	Sugiyama, T. et al. (1997). "A single-stranded DNA-binding protein is needed for efficient presynaptic complex formation by the <i>S. cerevisiae</i> Rad51 protein," <i>J. Biol. Chem.</i> 272:7940-7945.					
	Sung and Robberson (1995). "DNA strand exchange mediated by a RAD51-ssDNA nucleoptrotein filament with polarity opposite to that of RecA," <i>Cell</i> 82: 453-461.					
V	Sung (1997). "Function of yeast Rad52 protein as a mediator between replication protein A and the Rad51 recombinase," <i>J. Biol. Chem.</i> 272:28194-28197.					
/TS/	Sung (1997). "Yeast Rad55 and Rad57 proteins form a heterodimer that functions with replication protein A to promote DNA strand exchange by Rad51 recombinase," <i>Genes Dev.</i> 11:1111-1121.					

Examiner	/Torosa Strzolocka/	Date	00/07/2007
Signature	/ Teresa Strzeiecka/	Considered	09/27/2007

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

CA 103928.1

bstitute for form 1449A/PTO & 1449B/PTO				Complete if Known	
	F	FIRST		Application Number	10/516,982
INFORMATION DISCLOSURE STATEMENT BY APPLICANT				Filing Date	June 21, 2005
				First Named Inventor	James T. Kadonaga et al.
				Examiner Name	Teresa Strzelecka
Sheet	5	of	5	Attorney Docket Number	1034123-000150

NON-PATENT LITERATURE DOCUMENTS					
Examiner Initials	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.				
/TS/	Tan, T.L. et al. (1999). "Mouse Rad54 affects DNA conformation and DNA-damage-induced Rad51 foci formation," <i>Curr. Biol.</i> 9:325-328.				
	Van Komen, S. et al. (2000). "Superhelicity-driven homologous DNA pairing by yeast recombination factors Rad51 and Rad54," <i>Mol. Cell</i> 6:563-572.				
	Varga-Weisz et al. (1977). "Chromatin-remodeling factor CHRAC contains the ATPases ISWI and topoisomerase II," <i>Nature</i> 388:598-602.				
	Vignali, M. et al. (2000). "ATP-dependent chromatin-remodeling complexes," <i>Mol. Cell. Biol.</i> 20:1899-1910.				
V	Yoon et al. (1996). "Targeted gene correction of episomal DNA in mammalian cells mediated by a chimeric RNA-DNA oligonucleotide," <i>PNAS USA</i> 93:2071-2076.				
/TS/	Yu et al. (1995). "Intracellular immunization of human fetal cord blood stem/progenitor cells with a ribozyme against human immunodeficiency virus type 1," <i>Proc. Natl. Acad. Sci. USA</i> 92:699-703.				

Examiner	/Taraga Straplacka/	Date	09/27/2007
Signature	/Teresa Strzelecka/	Considered	09/2//2007